

Hazard Identification & Risk Assessment

Address	108 Biggar Road, Edinburgh, EH10 7DU				
Hazard Reference	COVID-19 risk associated with visitors to WEL Podcast Studio and Woosh Office.				
Assessment Completed By	Keith Easton		Date 10/0	8/2021	
Hazard Description - Brief	ly describe the hazard yo	u have identified			
Being exposed to COVID-19	9 Coronavirus				
Transmission of COVID-19	D-19 Coronavirus				
Managing the risk of COVID	lanaging the risk of COVID-19 Coronavirus in the workplace				
Hazard Category - select t	he most appropriate cate	gory for the hazard	vou have ide	entified	
Adverse weather	Extreme temperature]	Lighting	Use of mechanical lifting	
Aerial	Fall of object from height	_ Manua	al handling	equipment Use of vehicles	
Collapse of structure	Fall of person from height]	Noise	Use of work equipment	
Compressed air	Fire	<u></u>	Pressure	Ventilation	
Electricity	Gas]	Radiation	Vibration	
Equipment failure	Hazardous substance		Slip/ fall	Water	
Excavation	Housekeeping/ Cleaning]	Storage		
Explosion	Human Error	Stor	red energy		
Other: (specify) x					
Infectious Disea	se / Global Pandemic - CO	VID-19 Coronavirus			

6	Persons at Risk - identify	the people who are a	ıt risk	from this hazard		
	All workers x	Machine operato	rs	Pregnant women	Inexperienced staff	
	Cleaners	Maintenance Sta	aff	Staff with disabilities	Office staff	
	Contractors x	Members of the pub	ic x	Lone workers	Outdoor workers	
	Other: (specify)					
7	Likelihood - How likely is t	he hazard to cause	an inci	ident?		
	Zero to very low	Rating 0				
	Very Unlikely	Rating 1				
	Unlikely	Rating 2	х			
	Likely	Rating 3				
	Very likely	Rating 4				
	Almost certain	Rating 5				
8	Severity - what is the mos	t likely outcome?				
	No injury or illness	Rating 0				
	First aid injury or illness	Rating 1				
	Minor injury or illness	Rating 2				
	"7 day" injury or illness	Rating 3				
	Major injury or illness	Rating 4	х			
	Fatality, disabling injury etc.	Rating 5				
9	Risk Rating (Risk rating = Likelihood x se	everity)				
	1 to 4	Low risk				
	5 to 9	Medium risk	х			
	10 to 25	High Risk				
	Risk assessment can be forwarded to clients for approval in the event that the risk is higher than medium.					

10 Risk Control System - what controls are currently in place?

(Team Leader/ Line Manager responsible for Activity/ Process)

Minimise number of people in Studio and office at any one time.

Work station and sofas layout setup to maximise distance between individuals.

Perspex Shielding Screens

Fresh, clean microphone windshields for each session

Social distancing to be practised with signage to reinforce rules.

Provision of hand sanitiser in studio and office and on entering building.

PPE, masks and gloves to be provided if required.

Studio Cleaning checklist for before every recording session.

Signage on shared Toilet Doors

Working space and toilets to be cleaned before every recording session with visitors.

Hand towels to be used instead of Hand Driers.

Check In Scotland QR code for recording the name and contact details of everyone who enters the studio.

11	Additional Controls: yes (If "Yes" then detail action to be taken)					
	Recording all names of guests - Check In Scotland QR code for Studio / office.					
	Encouraging guests to leave building proptly after recording session.					
	Encouraging guests to use remote recording facilities such as Zoom.					
	Removal of mugs and glassware. All guest encouraged to bring own drinking water and any refreshements.					
	Regular communication with Landlord and other businesses at 108 Biggar Road, Edinburgh, EH10 7DU					
	Additional Control Measures Approved Yes					
	Risk Rating:					
	Likelihood 1 X = Risk Rating: 4					
	Severity 4					
	Target date for Implementation: 17-Aug					
	Signed Keith Easton					

12 Comments:		
Signed:	Keith Easton	
(Company Director responsible for Activity/ Process)		
Assessment Review Date:	01/09/2021 and daily	
Name:	Keith Easton	